



Representative Image

Ref. No. 267008 | Cat. No. EC09A311B230

Description: Efficor Contactor 9A 1NO+1NC Coil 230V 50/60Hz

EAN 4022903670087

Home > Power devices > Contactors > 2. Efficor: Reliable starting solutions 9-105A AC3.

Efficor Contactor 9A 1NO+1NC Coil 230V 50/60Hz

Descriptors

Category | 2. Efficor: Reliable starting solutions 9-105A AC3.

Specifications

Class	1. Contactors
Series	3-pole contactors from 9 to 40A (AC3)
Control circuit	AC
Terminal type	Double clamp terminal
Thermal current Ith	25 A
Max. operating current AC1 Non-inductive loads	25 A
Electrical endurance: # operations AC3	1.7 x 10 ⁶
Aux Contacts	1NO+1NC
Power contacts	3P
Frequency Control Voltage: AC	50-60 Hz
Admissible power AC1 415V, 440V	13 kW
Admissible power AC3 220V, 230V	2.2 kW
Admissible power AC3 380V, 400V	4 kW
Admissible power AC3 415V, 440V	4 kW
Admissible power AC3 500V	5.5 kW
Logo	GE
Package (pcs)	5
Volume	0.356040 dm ³
Frequency Coil voltages: alternating current	50 Hz / 60 Hz
Control Voltage: AC (50/60 Hz)	230 V

Classifications

ETIM 5.0	EC000066
ETIM 6.0	EC000066

Dimensions

Depth	92.0 mm
Height	86.0 mm
Weight	0.350 kg

Dimensions

Width	45.0 mm
-------	---------

Publications

Title	Publication No.	Publication Type
EFFICOR - Contactor 3-pole 9-12-18 A - 1NO+1NC - EC09A-EC12A-EC18A (stp) 3D Drawing: Controls - EFFICOR - Contactor 3-pole 9-12-18 A - 1NO+1NC - EC09A-EC12A-EC18A (STEP format)	3D-00052	Drawings - CAD - 3D
EFFICOR - Contactor 3-pole 9-12-18 A - 1NO+1NC - EC09A-EC12A-EC18A (pdf) 3D PDF Viewer: Controls - EFFICOR - Contactor 3-pole 9-12-18 A - 1NO+1NC - EC09A-EC12A-EC18A (3DPDF format)	3D-00052-PDF	Drawings - CAD - 3D

Additional Documentation: Visit our [Publication Library](#) to find technical documentation, specifications, catalogues, promotional literature, 3D's,...